

11

FLOOR MATS

Anti Fatigue Mats ----- 119



Modular Safety Mats ----- 119

Entrance Mats ----- 119

Wet Area Safety Mats ----- 120

Rubber Access Ramps ----- 120

Wondersorb Mat ----- 120



Mat - Ergo Tred - Anti Fatigue



FEATURES

- ✓ Suited to relieve the strain of constant standing.
- ✓ Domed surface ergonomically designed to improve circulation and give maximum comfort.
- ✓ Ideal for checkouts, workstations and counters.
- ✓ 100% natural rubber.

Code	Length mm	Width mm	Border
CM AS	900	600	Black Border
CM ASY	900	600	Yellow Border
CM ETM	1200	900	Black Border
CM ETMY	1200	900	Yellow Border

Mat - Diamond Foot



Yellow
Chevron
Black
Solid

FEATURES

- ✓ Slip resistant, hard wearing and chemical resistant surface.
- ✓ Resilient sponge base to enhance comfort.
- ✓ Ideal for all dry areas including warehouses and workstations.
- ✓ NGB - will not delaminate.
- ✓ 13mm thick.

Code	Length mm	Width mm	Borders
CM DF23	600	900	Available with Solid Black, Chevron or Yellow borders
CM DF35	1500	900	

For Border add to code: SB = solid black CB = chevron border YB = yellow border eg. 600 x 900 with Chevron border = CM DF23CB

Mat - Air Grid



FEATURES

- ✓ Unique combination of comfort and wear features.
- ✓ Non-slip rubber surface.
- ✓ Relieves the strain on legs.
- ✓ Suction cups assist mats adhesion.
- ✓ Optional grease proof (Terracotta)
- ✓ Ideal for demanding work areas

Code	Length mm	Width mm	Colour
CM AG23	900	600	Black
CM AG23Y	900	600	Black/Yellow Border
CM AG34	1200	900	Black
CM AG34Y	1200	900	Black/Yellow Border
CM AG34G	1200	900	Terracotta/Greaseproof

Mat - Soft Foot




Grey
Black/Yellow Edge

FEATURES

- ✓ Rugged, durable closed cell vinyl sponge antifatigue matting. Easy to clean.
- ✓ Cushion surface with non slip ribs and bevelled edges.
- ✓ May be cut to desired shape.
- ✓ Use in warehouses, counters, checkouts or any dry area.

Code	Length mm	Width mm	Type
CM SSM	Runner per metre	900	Grey
CM SSSM	Runner per metre	900	Black with yellow edge

Mat - Modular Safety - Solid Top Antifatigue



FEATURES

- ✓ Versatile and economical anti-fatigue system.
- ✓ Smooth surface for easy cleaning. Slip resistant.
- ✓ Suitable for light trolleys.
- ✓ Modules fit together easily & quickly.
- ✓ Ideal for workstations and production lines, counters.

Code	Type	Length mm	Width mm
CM STAE	End	800	700
CM STAC	Centre	800	700
CM STAS	Single	800	700

Mat - Modular Safety - Comfort Link




Grit Top

FEATURES

- ✓ Mats link to form desired shape.
- ✓ Holed design & solid.
- ✓ Bevelled edges available in black or yellow.
- ✓ For wet or dry areas.
- ✓ Unique 'grit top' for very slippery areas.

Code	Type	Length mm	Width mm
CM TE	Holed	900	900
CM TES	Solid	900	900
CM TEE	Edge	900	75
CM TEG	Holed (grease proof)	900	900
CM TEA	Holed (grit top)	900	900

Mat - Modular Safety - Grid



Features

- ✓ Polypropylene construction
- ✓ Interlocking
- ✓ With drainage holes.
- ✓ Ideal for showers, locker rooms, etc..
- ✓ Available in Grey & green

Code	Length mm	Width mm	Thickness mm	Colour
NA IG051GRN	508	508	25	Green
NA IG051GRY	508	508	25	Grey

Mat - Entrance Ribbed



FEATURES

- ✓ Effective and economical mat for medium traffic areas.
- ✓ Attractive bi-level construction traps dirt.
- ✓ Coarse fibres scrape dirt and debris from shoes.
- ✓ Solution dyed to prevent fading.
- ✓ Easy clean and dries quickly.

Code	Length mm	Width mm	Colour
CM RM23	900	600	Add to Code: RE = red GRN = green PEP = pepper BLU = blue GRY = Grey BRN = brown eg. Red mat = CM RMSRE
CM RM35	1500	900	
CM RM46	1800	1200	

Mat - Entrance - Absorba



FEATURES

- ✓ Heavy duty mat for high traffic areas.
- ✓ Grippers on underside minimise movement.
- ✓ Raised reinforced rubber dam border.
- ✓ Reinforced rubber raised squares to prevent pile from crushing, improving wear ability.

Code	Length mm	Width mm	Colour
CM AB23	860	620	Add to Code: RE = Red GRN = Green PEP = Pepper BLU = Blue GRY = Grey WAL = Walnut eg. Red mat = CM RMSRE *Pepper only
CM AB35	1440	860	
CM AB310	2970	860	
CM AB46	1690	1140	
CM AB410	2970	1140	
CM AB610	2920	1750	
CM AB620*	6045	1800	

Mat - Wet Area Safety - Tube Tread



FEATURES

- ✓ PVC tubular matting can be cut to any length or shape.
- ✓ Soft surface drains and resists oils, chemicals and alkalis.
- ✓ Ideal for wet areas like bars, boats, workshops, swimming pools and showers.
- ✓ Available in Black or Blue

Code	Length meter	Width mm	Colour
CM TTBLK	12.0	900	Black
CM TTBLU	12.0	900	Blue

Mat - Wet Area Safety - Safety Cushion



FEATURES

- ✓ General purpose safety mat.
- ✓ Comfort non-slip mat.
- ✓ Bevelled edges for safety.
- ✓ Optional grease resistant formula.
- ✓ Factories, kitchens, prep areas, boats and counters.

Code	Length mm	Width mm	Type
CM CLS	900	600	
CM CLN	1500	900	General Purpose
CM CLR	1500	900	Grease Resistant

Mat - Wet Area Safety - Supa Gripper



FEATURES

- ✓ PVC matting can be cut to any length or shape.
- ✓ Soft surface drains and resists oils, chemicals and alkalis.
- ✓ Ideal for wet areas like bars, boats, workshops, swimming pools, showers.
- ✓ Heavy duty construction.

Code	Length meter	Width mm	Colour
CM SGBLK	12.0	900	Black
CM SGBLU	12.0	900	Blue

Mat - Access Ramp



Heavy Duty ramp for indoor or outdoor applications for wheeled traffic.

- ✓ Easy installation
- ✓ Reduce trip hazards
- ✓ Maintenance free
- ✓ Made from recycled rubber
- ✓ Can be trimmed to required size

Code	Length mm	Width mm	Rise mm
CM AR0	900	200	25
CM AR1	1067	305	32
CM AR2	1270	457	44
CM AR3	1524	610	55

Mat - Wondersorb



The Wondersorb Entrance mat's ultra absorbent surface retains large amounts of liquid while the 'Dual zone' gripper backing will grip any floor type. Features an anti skid nitrile rubber backing that will not curl or crack and is machine washable and can be tumble dried.

- ✓ Carpet top is 100% recycled, made from recycled PET bottles
- ✓ Twist pile carpet scrapes and dries feet
- ✓ Designed to trap and hide dirt and moisture
- ✓ Anti skid nitrile rubber backing will not curl or crack
- ✓ Machine washable and can be tumble dried

Code	Length mm	Width mm	Thickness mm
CM WS23CHL	850	600	7
CM WS34CHL	1200	850	7
CM WS35CHL	1500	850	7