		1
THE PERSON NAMED IN		B
THE RESERVE OF THE PARTY OF THE	Multi-Deck Trolleys 5	77
ALL THE STATE OF	Utility Multi-Deck Trolleys 8	"
Million and Mark Park & B.	Stainless Steel Trolleys 11	
	Hotel Luggage Trolleys 13	13
	Order Picking Trolleys 14	27
Committee of the Contraction of	Ladder Trolleys 17	
The second	Platform Trolleys 17	
	Cleaning & Laundry Trolleys 23	
TROLLEYS	Big Bin Trolleys 24	
HANDTRUCKS	Powered Trucks 29	43
HANDIKUCKS	Flat Deck Dollies29	
	Linen Trolleys 31	П
DOLLIES	Skates 32	

Trolley - Reflex Light Model 'E' - 2 Deck

All purpose two deck trolley, ideal for offices, factories, warehouses, schools, universities and hospitals.

All-steel construction with orange or beige powdercoat finish. Clearance between shelves is 718mm and load capacity is up to 200kg total. Equipped with four (all swivel) 125mm diameter Thermoplastic



RE T5SL2EP L22

Elastomer (TPE) castors.



Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour		
RE T5SL1EP L22	584 x 510 x 1058	510 x 510	955	L22	Org		
RE T5SL1EX L22	584 x 510 x 1058	510 x 510	955	L22	Beige		
RE T5SL2EP L22	884 x 510 x 1058	810 x 510	955	L22	Org		
RE T5SL2EX L22	884 x 510 x 1058	810 x 510	955	L22	Beige		
RE T5SL3EP L22	1184 x 510 x 1058	1110 x 510	955	L22	Org		
RE T5SL3EX L22	1184 x 510 x 1058	1110 x 510	955	L22	Beige		
RE T5SL4EP L22	1184 x 610 x 1058	1110 x 610	955	L22	Org		
RE T5SL4EX L22	1184 x 610 x 1058	1110 x 610	955	L22	Beige		
RE T5SL5EP L22	1184 x 710 x 1058	1110 x 710	955	L22	Org		
RE T5SL5EX L22	1184 x 710 x 1058	1110 x 710	955	L22	Beige		
*Wheel Config	*Wheel Config L22: 4 wheels - 125mm Thermoplastic elastomer (TPE) all swivel						

Trolley - Reflex Light Model 'L' - 2 Deck

The Model 'L' is similar to our 'E' Model trolley but with a desk height shelf and flush one end for ease of load / unload. The clearance between shelves is 468mm.

It features all-steel construction with orange or beige powdercoat finish with a load capacity of up to 200kg in total. Equipped with four (all swivel) 125mm diameter Thermoplastic Elastomer (TPE) castors.





Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour	
RE T5FL1LP L22	584 x 510 x 1058	510 x 510	705	L22	Org	
RE T5FL1LX L22	584 x 510 x 1058	510 x 510	705	L22	Beige	
RE T5FL2LP L22	884 x 510 x 1058	810 x 510	705	L22	Org	
RE T5FL2LX L22	884 x 510 x 1058	810 x 510	705	L22	Beige	
RE T5FL3LP L22	1184 x 510 x 1058	1110 x 510	705	L22	Org	
RE T5FL3LX L22	1184 x 510 x 1058	1110 x 510	705	L22	Beige	
RE T5FL4LP L22	1184 x 610 x 1058	1110 x 610	705	L22	Org	
RE T5FL4LX L22	1184 x 610 x 1058	1110 x 610	705	L22	Beige	
RE T5FL5LP L22	1184 x 710 x 1058	1110 x 710	705	L22	Org	
RE T5FL5LX L22	1184 x 710 x 1058	1110 x 710	705	L22	Beige	
*Wheel Config	L22: 4 wheels - 125mm Thermoplastic elastomer (TPE) all swivel					

Trolley - Reflex Medium Model 'E' - 2 Deck

The same as the Light Model 'E' with a reinforced base to accommodate a heavier wheel selection.

Equipped with four (2 fixed, 2 swivel) 150mm rubber wheeled castors.



Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	*Wheel Config	Colour	
RE T5SM2EP M64	884 x 510 x 1092	810 x 510	989	M64	Org	
RE T5SM2EX M64	884 x 510 x 1092	810 x 510	989	M64	Beige	
RE T5SM3EP M64	1184 x 510 x 1092	1110 x 510	989	M64	Org	
RE T5SM3EX M64	1184 x 510 x 1092	1110 x 510	989	M64	Beige	
RE T5SM4EP M64	1184 x 610 x 1092	1110 x 610	989	M64	Org	
RE T5SM4EX M64	1184 x 610 x 1092	1110 x 610	989	M64	Beige	
RE T5SM5EP M64	1184 x 710 x 1092	1110 x 710	989	M64	Org	
RE T5SM5EX M64	1184 x 710 x 1092	1110 x 710	989	M64	Beige	
*Wheel Config M64 : 4 wheels - 150mm Rubber 2 fixed 2 swivel - Medium Duty						

Trolley - Reflex Medium Model 'L' - 2 Deck

The same as the Light Model 'L' with a reinforced base to accommodate a heavier wheel selection

Equipped with four (2 fixed, 2 swivel) 150mm rubber wheeled castors.



Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	*Wheel Config	Colour	
RE T5FM2LP M64	884 x 510 x 1092	810 x 510	739	M64	Org	
RE T5FM2LX M64	884 x 510 x 1092	810 x 510	739	M64	Beige	
RE T5FM3LP M64	1184 x 510 x 1092	1110 x 510	739	M64	Org	
RE T5FM3LX M64	1184 x 510 x 1092	1110 x 510	739	M64	Beige	
RE T5FM4LP M64	1184 x 610 x 1092	1110 x 610	739	M64	Org	
RE T5FM4LX M64	1184 x 610 x 1092	1110 x 610	739	M64	Beige	
RE T5FM5LP M64	1184 x 710 x 1092	1110 x 710	739	M64	Org	
RE T5FM5LX M64	1184 x 710 x 1092	1110 x 710	739	M64	Beige	
*Wheel Config M64 : 4 wheels - 150mm Rubber 2 fixed 2 swivel - Medium Duty						

Trolley - Reflex Light Model 'F' - 3 Deck

All purpose three deck trolley, ideal for offices, factories, warehouses, schools, universities and hospitals.

All-steel construction with orange or beige powdercoat finish. Clearance between shelves is 368mm (bottom to middle) and 312mm (middle to top). Load capacity is up to 200kg in total.

Equipped with four (all swivel) 125mm diameter Thermoplastic Elastomer (TPE) castors.





Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour		
RE T5SL1FP L22	584 x 510 x 1058	510 x 510	955	L22	Org		
RE T5SL1FX L22	584 x 510 x 1058	510 x 510	955	L22	Beige		
RE T5SL2FP L22	884 x 510 x 1058	810 x 510	955	L22	Org		
RE T5SL2FX L22	884 x 510 x 1058	810 x 510	955	L22	Beige		
RE T5SL3FP L22	1184 x 510 x 1058	1110 x 510	955	L22	Org		
RE T5SL3FX L22	1184 x 510 x 1058	1110 x 510	955	L22	Beige		
RE T5SL4FP L22	1184 x 610 x 1058	1110 x 610	955	L22	Org		
RE T5SL4FX L22	1184 x 610 x 1058	1110 x 610	955	L22	Beige		
RE T5SL5FP L22	1184 x 710 x 1058	1110 x 710	955	L22	Org		
RE T5SL5FX L22	1184 x 710 x 1058	1110 x 710	955	L22	Beige		
*Wheel Config	L22 : 4 wheels - 125mm Thermoplastic elastomer (TPE) all swivel						

Trolley - Reflex Medium Model 'F' - 3 Deck

The same as the Light Model 'F' with a reinforced base to accommodate a heavier wheel selection Equipped with four (two fixed, 2 swivel) 150mm rubber wheeled castors.



Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	*Wheel Config	Colour		
RE T5SM2FP M64	884 x 510 x 1092	810 x 510	989	M64	Org		
RE T5SM2FX M64	884 x 510 x 1092	810 x 510	989	M64	Beige		
RE T5SM3FP M64	1184 x 510 x 1092	1110 x 510	989	M64	Org		
RE T5SM3FX M64	1184 x 510 x 1092	1110 x 510	989	M64	Beige		
RE T5SM4FP M64	1184 x 610 x 1092	1110 x 610	989	M64	Org		
RE T5SM4FX M64	1184 x 610 x 1092	1110 x 610	989	M64	Beige		
RE T5SM5FP M64	1184 x 710 x 1092	1110 x 710	989	M64	Org		
RE T5SM5FX M64	1184 x 710 x 1092	1110 x 710	989	M64	Beige		
*Wheel Config	el Config M64 : 4 wheels - 150mm Rubber 2 fixed 2 swivel - Medium Duty						

Trolley - Reflex Light Model 'M' - 3 Deck

With maximum load capacity of up to 200kg this versatile three deck trolley is ideal for offices, libraries, warehouses, schools, retail outlets and healthcare facilities.

Clearance between shelves is 565mm (bottom to middle) and 562mm (middle to top). Shelves and frame are of all-steel construction with an orange or beige powdercoat finish.

Mounted on four (all swivel) 125mm diameter Thermoplastic Elastomer (TPE) castors.





DE	Т5	L2MP	12

Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour
RE T5 L2MP L22	884 x 510 x 1495	810 x 510	1402	L22	Org
RE T5 L2MX L22	884 x 510 x 1495	810 x 510	1402	L22	Beige
RE T5 L3MP L22	1184 x 510 x 1495	1110 x 510	1402	L22	Org
RE T5 L3MX L22	1184 x 510 x 1495	1110 x 510	1402	L22	Beige
RE T5 L4MP L22	1184 x 610 x 1495	1110 x 610	1402	L22	Org
RE T5 L4MX L22	1184 x 610 x 1495	1110 x 610	1402	L22	Beige
RE T5 L5MP L22	1184 x 710 x 1495	1110 x 710	1402	L22	Org
RE T5 L5MX L22	1184 x 710 x 1495	1110 x 710	1402	L22	Beige
*Wheel Config	L22 : 4 wheels - 12	25mm Thermop	lastic elastome	er (TPE) all	swivel

Trolley - Reflex Medium Model 'M' - 3 Deck

The same as the Light Model 'M' with a reinforced base to accommodate a heavier wheel selection. Equipped with four (two fixed, 2 swivel) 150mm rubber wheeled castors.



Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	*Wheel Config	Colour
RE T5 M2MP M64	884 x 510 x 1529	810 x 510	1436	M64	Org
RE T5 M2MX M64	884 x 510 x 1529	810 x 510	1436	M64	Beige
RE T5 M3MP M64	1184 x 510 x 1529	1110 x 510	1436	M64	Org
RE T5 M3MX M64	1184 x 510 x 1529	1110 x 510	1436	M64	Beige
RE T5 M4MPFM64	1184 x 610 x 1529	1110 x 610	1436	M64	Org
RE T5 M4MXFM64	1184 x 610 x 1529	1110 x 610	1436	M64	Beige
RE T5 M5MPFM64	1184 x 710 x 1529	1110 x 710	1436	M64	Org
RE T5 M5MXFM64	1184 x 710 x 1529	1110 x 710	1436	M64	Beige
*Wheel Config	M64 : 4 wheels - 1	50mm Rubber	2 fixed 2 swive	l - Medium	Duty

Trolley - Reflex Light Model 'G' - 4 Deck

All purpose four deck trolley, ideal for offices, factories, warehouses, schools, universities and hospitals.

All-steel construction with orange or beige powdercoat finish. Load capacity is up to 200kg total.

Distance between shelves (bottom to top) is 368mm - 362mm -362mm respectively.

Equipped with four (all swivel) 125mm diameter Thermoplastic Elastomer (TPE) castors.





Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour	
RE T5 L2GP L22	884 x 510 x 1495	810 x 510	1405	L22	Org	
RE T5 L2GX L22	884 x 510 x 1495	810 x 510	1405	L22	Beige	
RE T5 L3GP L22	1184 x 510 x 1495	1110 x 510	1405	L22	Org	
RE T5 L3GX L22	1184 x 510 x 1495	1110 x 510	1405	L22	Beige	
RE T5 L4GP L22	1184 x 610 x 1495	1110 x 610	1405	L22	Org	
RE T5 L4GX L22	1184 x 610 x 1495	1110 x 610	1405	L22	Beige	
RE T5 L5GP L22	1184 x 710 x 1495	1110 x 710	1405	L22	Org	
RE T5 L5GX L22	1184 x 710 x 1495	1110 x 710	1405	L22	Beige	
*Wheel Config L22 : 4 wheels - 125mm Thermoplastic elastomer (TPE) all swivel						

Trolley - Reflex Medium Model 'G' - 4 Deck

The same as the Light Model 'G' with a reinforced base to accommodate a heavier wheel selection. Equipped with four (two fixed, 2 swivel) 150mm rubber wheeled castors.







Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour
RE T5 M2GPFM64	884 x 510 x 1529	810 x 510	1439	M64	Org
RE T5 M2GXFM64	884 x 510 x 1529	810 x 510	1439	M64	Beige
RE T5 M3GPFM64	1184 x 510 x 1529	1110 x 510	1439	M64	Org
RE T5 M3GXFM64	1184 x 510 x 1529	1110 x 510	1439	M64	Beige
RE T5 M4GPFM64	1184 x 610 x 1529	1110 x 610	1439	M64	Org
RE T5 M4GXFM64	1184 x 610 x 1529	1110 x 610	1439	M64	Beige
RE T5 M5GPFM64	1184 x 710 x 1529	1110 x 710	1439	M64	Org
RE T5 M5GXFM64	1184 x 710 x 1529	1110 x 710	1439	M64	Beige
*Wheel Config	M64 : 4 wheels - 1	50mm Rubber :	2 fixed 2 swive	l - Medium	Duty

Trolley - Reflex Light Model 'H' - 5 Deck

With maximum load capacity of up to 200kg this versatile five deck trolley is often used in libraries, offices, schools, retail outlets and healthcare facilities.

Shelves and frame are of all-steel construction with an orange or beige powdercoat finish as standard.

Distance between shelves (bottom to top) is 265mm - 262mm -262mm - 262mm respectively.

Equipped with four (all swivel) 125mm diameter Thermoplastic Elastomer (TPE) castors.





Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour
RE T5 L2HP L22	884 x 510 x 1495	810 x 510	1402	L22	Org
RE T5 L2HX L22	884 x 510 x 1495	810 x 510	1402	L22	Beige
RE T5 L3HP L22	1184 x 510 x 1495	1110 x 510	1402	L22	Org
RE T5 L3HX L22	1184 x 510 x 1495	1110 x 510	1402	L22	Beige
RE T5 L4HP L22	1184 x 610 x 1495	1110 x 610	1402	L22	Org
RE T5 L4HX L22	1184 x 610 x 1495	1110 x 610	1402	L22	Beige
RE T5 L5HP L22	1184 x 710 x 1495	1110 x 710	1402	L22	Org
RE T5 L5HX L22	1184 x 710 x 1495	1110 x 710	1402	L22	Beige
*Wheel Config	L22 : 4 wheels - 12	5mm Thermo	olastic elastom	er (TPE) al	l swivel

Trolley - Reflex Medium Model 'H' - 5 Deck

The same as the Light Model 'H' with a reinforced base to accommodate a heavier wheel selection. Equipped with four (two fixed, 2 swivel) 150mm rubber wheeled castors.



Reflex Trolley Options

- Shelves can be inverted to give tray effect
- Galvanised or stainless steel finish
- Non-slip, rubber deck mats available
- Corner Buffers & Brakes

RET	5 M4HPFM6	4
rall	Deck	ŀ

Code	Overall L x W x H mm	Deck L x W mm	Height Top Deck mm	Wheel Config*	Colour
RE T5 M2HPFM64	884 x 510 x 1529	810 x 510	1436	M64	Org
RE T5 M2HXFM64	884 x 510 x 1529	810 x 510	1436	M64	Beige
RE T5 M3HPFM64	1184 x 510 x 1529	1110 x 510	1436	M64	Org
RE T5 M3HXFM64	1184 x 510 x 1529	1110 x 510	1436	M64	Beige
RE T5 M4HPFM64	1184 x 610 x 1529	1110 x 610	1436	M64	Org
RE T5 M4HXFM64	1184 x 610 x 1529	1110 x 610	1436	M64	Beige
RE T5 M5HPFM64	1184 x 710 x 1529	1110 x 710	1436	M64	Org
RE T5 M5HXFM64	1184 x 710 x 1529	1110 x 710	1436	M64	Beige
*Wheel Config	M64 : 4 wheels - 1	50mm Rubber	2 fixed 2 swiv	el - Mediun	n Duty

Trolley - Reflex Compact

As the name suggests, this trolley suits those tight office or factory situations. Powdercoat beige colour.



Fully welded construction Powdercoat Beige (standard) 125mm dia. swivel castors for ease of movement & manoeuvrability

2 Deck + Handle RE TC 2HX L21

Code	Decks	Top Deck W x H mm	Lower Decks L x W mm	Height to Top Deck mm	*Wheel Config
RE TC 2HX L21	2	750 x 440	605 x 398	820	L21
*Wheel Config	L21: 4 wheels - 125mm Thermoplastic elastomer (TPE) all swivel				

Trolley - Utility 3 Deck - Lockable Doors

All plastic construction, durable and easy to clean versatile cart features lockable doors and sliding drawer.

Sliding drawer stores small items and accessories while the back and side panels and lockable doors not only conceal contents but add

extra security.

3 Deck

TS HS828D



Code	Decks	Overall LxWxHmm	Max Load kg	Castors
TS HS828D	3 + Doors	850 x 480 x 1000	250	100mm

Trolley - Utility 3 Deck - Enclosed 3 Sides

Ideal for office, hospitality or healthcare applications this three deck cart with three sides enclosed is stylish and functional. Available in Off White or Black colour.



Code	Decks	Overall L x W x H mm	Max Load kg	Castors
TS HS808C	3	850 x 480 x 1000	250	100mm
TS HS808LC	3	1100 x 520 x 1020	250	100mm

Trolley - Utility 3 Deck - Open Sided

Durable and attractive cart suitable for front and back of house applications. Large shelves hold various equipment and supplies up to 45.4 kg per shelf. Aluminium uprights for durability and appearance.



TS HS808A

	Code	Decks	Overall L x W x H mm	Max Load kg	Castors
	TS HS808A	3	850 x 480 x 1000	250	100mm
ı	TS HS808LA	3	1100 x 520 x 1020	250	100mm

Trolley - Hi5 2 Shelf Utility Cart

Double Handles. Plastic Moulded Shelves. Non-Marking Swivel Castors. Aluminium Uprights. Non-Skid Textured Surface.



Code	Overall L x W x H mm	Max Load kg	Castors
TR 4010BK	854 x 473 x 960	60	100mm

Trolley - Hi5 2 Shelf Utility Cart

Double Handles. Plastic Moulded Shelves. Non-Marking Swivel Castors. Aluminium Uprights. Non-Skid Textured Surface.



2 Deck TR 4020BK

Code	Overall L x W x H mm	Max Load kg	Castors
TR 4020BK	1032 x 508 x 960	135	100mm

Trolley - Hi5 3 Shelf Utility Cart

Double Handles. Plastic Moulded Shelves. Non-Marking Swivel Castors. Aluminium Uprights. Non-Skid Textured Surface.



Code	Overall LxWxHmm	Max Load kg	Castors
TR //011RK	854 v 473 v 960	90	100mm

Trolley - Hi5 3 Shelf Utility Cart with 3 Panels

Double Handles. Plastic Moulded Shelves. Non-Marking Swivel Castors. Aluminium Uprights. Non-Skid Textured Surface.



Code	Overall L x W x H mm	Max Load kg	Castors
TR 4023BK	1032 x 508 x 960	135	100mm

Trolley - Hi5 3 Shelf Utility Cart

3 Deck

TR 4011BK

3 Deck

Double Handles. Plastic Moulded Shelves. Non-Marking Swivel Castors. Aluminium Uprights. Non-Skid Textured Surface.



Code	Overall LxWxHmm	Max Load kg	Castors
TR 4021BK	1032 x 508 x 960	135	100mm

Trolley - Hi5 4 Shelf Utility Cart

Double Handles. Plastic Moulded Shelves. Non-Marking Swivel Castors. Aluminium Uprights. Non-Skid Textured Surface.



Code	Overall LxWxHmm	Max Load kg	Castors	
TR 4026BK	1032 x 508 x 1295	135	100mm	

Trolley - Bitbar 2 Shelf Utility Cart

Innovative design for easily transporting any items. V-Notch for secure attachment of tubular items. User Friendly Handles. Sturdy Structural Foam Construction won't rust, dent, chip or peel.



Code	Overall LxWxHmm	Max Load kg	Castors
TR 4041BK	1150 x 641 x 987	230	120mm

Trolley - Bitbar 2 Shelf Utility Cart

Innovative design for easily transporting any items. V-Notch for secure attachment of tubular items. User Friendly Handles. Sturdy Structural Foam Construction won't rust, dent, chip or peel.



2 Shelf TR 4044BK

Code	Overall L x W x H mm	Max Load kg	Castors	
TR 4044BK	978 x 435 x 987	230	120mm	

2 Shelf TR 4041BK

Trolley - Bitbar 3 Shelf Utility Cart

Innovative design for easily transporting any items. V-Notch for secure attachment of tubular items. User Friendly Handles. Sturdy Structural Foam Construction won't rust, dent, chip or peel.



3 Shelf TR 4046BK

Code	Overall LxWxHmm	Max Load kg	Castors	
TR 4046BK	978 x 435 x 987	230	120mm	

Trolley - Bitbar 2 Flat Shelf Utility Cart

Innovative design for easily transporting any items. User Friendly Handles. Sturdy Structural Foam Construction won't rust, dent, chip or peel.



2 Deck TR 4045BK

Code	Overall LxWxHmm	Max Load kg	Castors	
TR 4045BK	978 x 435 x 968	230	125mm	

Trolley - Stainless Steel - Dressing - 1 Drawer

This 1 drawer Dressing Trolley features 304 grade stainless steel construction with a satin finish.

Fitted with ball bearing fork castors with Grey rubber wheels.



Code	Drawers	Width mm	Depth mm	Height mm	Castors mm
AC 229751	1	490	490	970	100
AC 229761	1	600	490	970	100
AC 229771	1	750	490	970	100
AC 229781	1	900	490	970	125

Trolley - Bitbar 3 Shelf Utility Cart

Innovative design for easily transporting any items. V-Notch for secure attachment of tubular items. User Friendly Handles. Sturdy Structural Foam Construction won't rust, dent, chip or peel.



3 Deck TR 4043BK

Code	Overall L x W x H mm	Max Load kg	Castors	
TR 4043BK	1150 x 641 x 987	230	120mm	

Trolley - Bitbar 3 Flat Shelf Utility Cart

Innovative design for easily transporting any items. User Friendly Handles. Sturdy Structural Foam Construction won't rust, dent, chip or peel.



3 Deck TR 4047BK

Code	Overall L x W x H mm	Max Load kg	Castors
TR 4047BK	978 x 435 x 968	230	125mm

Trolley - Stainless Steel - Dressing - 2 Drawer

This 2 drawer Dressing Trolley features 304 grade stainless steel construction with a satin finish.

Fitted with ball bearing fork castors with Grey rubber wheels.



Code	Drawers	Width mm	Depth mm	Height mm	Castors mm
AC 229851	2	490	490	970	100
AC 229861	2	600	490	970	100
AC 229871	2	750	490	970	100
AC 229881	2	900	490	970	125

Trolley - Stainless Steel - Dressing - 3 Drawer

This 3 drawer Dressing Trolley features 304 grade stainless steel construction with a satin finish.

Fitted with ball bearing fork castors with Grey rubber wheels.



Code	Drawers	Width mm	Depth mm	Height mm	Castors mm
AC 229951	3	490	490	970	100
AC 229961	3	600	490	970	125
AC 229971	3	750	490	970	125
AC 229981	3	900	490	970	125

Trolley - Stainless Steel - Instrument

This 2 shelf Instrument Trolley features 304 grade stainless steel construction with a satin finish.

Fitted with 125mm ball bearing fork castors with Grey rubber wheels.



Code	Shelf	Width mm	Depth mm	Height mm	Castors mm
AC 229601	2	1000	490	900	125
AC 229611	2	1200	490	900	125
AC 229621	2	1000	600	900	125
AC 229631	2	1200	600	900	125

Trolley - Stainless Steel - Instrument - Rails

This 2 shelf Instrument Trolley with rails features 304 grade stainless steel construction with a satin finish.

Fitted with 125mm ball bearing fork castors with Grey rubber wheels.



Code	Shelf	Width mm	Depth mm	Height mm	Castors mm
AC 229691	2	1000	490	970	125
AC 229721	2	1200	490	970	125
AC 229701	2	1000	600	970	125
AC 229711	2	1200	600	970	125

Trolley - Stainless Steel - Instrument

This 2 shelf Instrument Trolley features 304 grade stainless steel construction with a satin finish.

Fitted with ball bearing fork castors with Grey rubber wheels.



Code	Shelf	Width mm	Depth mm	Height mm	Castors mm
AC 229551	2	490	490	900	100
AC 229561	2	600	490	900	100
AC 229571	2	750	490	900	100
AC 229581	2	900	490	900	125

Trolley - Stainless Steel - Instrument - Rails

This 2 shelf Instrument Trolley with rails features 304 grade stainless steel construction with a satin finish.

Fitted with ball bearing fork castors with Grey rubber wheels.



Code	Shelf	Width mm	Depth mm	Height mm	Castors mm
AC 229651	2	490	490	970	100
AC 229661	2	600	490	970	100
AC 229671	2	750	490	970	100
AC 229681	2	900	490	970	125

Trolley - Stainless Steel - Instrument - 2 Drawer

This 2 Half Drawer Instrument Trolley with rails features stainless steel construction with a powder coated finish.

Fitted with 125mm ball bearing fork castors with Grey rubber wheels.



Code	Drawer	Width mm	Depth mm	Height mm	Castors mm
AC 222101	2 - Half	900	490	940	125

Trolley - Stainless Steel - Resuscitation

This 4 Drawer Resuscitation Cart with rails features 304 grade stainless steel construction.

Fitted with 4 x half drawers - 125mm deep, 1 x shelf with 3 rails and 125mm ball bearing fork castors with Grey rubber wheels.



Code	Drawer	Width mm	Depth mm	Height mm	Castors mm
AC 224101	4 - Half	900	490	940	125

Trolley - Stainless Steel - Traymobile

Welded stainless steel construction with three recessed shelves with rounded internal corners for easy cleaning. Guard rails on three sides of all shelves, with 460mm clearance between shelves on two deck and 280mm on three deck. Revolving buffers fitted to each leg with 125mm diameter chrome plated, ball bearing castors.



Code	Decks	Deck LxWmm	Height mm	Castors mm
V0 V323 SS	3	900 X 500	900	125

Trolley - Stainless Steel - Multi-purpose

Welded stainless steel construction multi-purpose, multi-deck trolleys, especially suited to kitchens, hospitals and laboratories, etc. Three recessed shelves with rounded internal corners for easy cleaning. Revolving buffers and 125mm diameter chrome plated, ball bearing castors. 430mm clearance between shelves on two deck model and 280mm clearance on three deck.



Code	Decks	Deck LxW mm	Height mm	Castors mm
VO V314-750	3	750 X 500	900	125
VO V314-900	3	900 X 500	900	125
VO V314-1050	3	1050 X 500	900	125

Trolley - 2 Deck Stainless Steel - Traymobile

Welded stainless steel construction with two recessed shelves with rounded internal corners for easy cleaning. Guard rails on three sides of all shelves, with 460mm clearance between shelves on two deck and 280mm on three deck. Revolving buffers fitted to each leg with 125mm diameter chrome plated, ball bearing castors.



Code	Decks	Deck LxWmm	Height mm	Castors mm
V0 V322 SS	2	900 X 500	900	125

Trolley - Stainless Steel - Multi-purpose

Welded stainless steel construction multi-purpose, multi-deck trolleys, especially suited to kitchens, hospitals and laboratories, etc. Two recessed shelves with rounded internal corners for easy cleaning. Revolving buffers and 125mm diameter chrome plated, ball bearing castors. 430mm clearance between shelves on two deck model and 280mm clearance on three deck.



Code	Decks	Deck LxWmm	Height mm	Castors mm
VO V312-750	2	750 X 500	900	125
VO V312-900	2	900 X 500	900	125
VO V312-1050	2	1050 X 500	900	125

Many more stainless steel trolleys available

Call 1300 774 872 to discuss your requirements







Trolley - Linen - Polyethylene

This linen trolley is made from tough, impact resistant polyethylene and has been innovatively designed for both the delivery of clean linen and collection of soiled linen at Hospitals, Retirement Villages, Aged Care Centres. Resorts. Motels and other Facilities.

Low profile Design, 1500 mm high including castors, for improved vision.



Code	Length x Width x Height mm	Capacity kg	Castors mm		
RT TLET3DT	1050 x 710 x 1500	200	4 X 150		
Add to code: DBLU = GRN = GRY = YEL = eq. Blue = RT TLET3DTDBLU					

Trolley - Linen - Reflex

Ideal for folded linen in accommodation and healthcare environments, the Reflex Linen Trolley is available in two sizes with either three of four decks.

Easy to clean beige powdercoat finish.



Code	Decks	L x W x H mm incl Push Handle	Wheel Config*
RE TL L3FM L77	3	1255 x 510 x 1446	2 directional lock 2 swivel
RE TL L7FM L77	3	1555 x 510 x 1446	2 directional lock 2 swivel
RE TL L3FG L77	4	1255 x 510 x 1446	2 directional lock 2 swivel
RE TL L7FG L77	4	1555 x 510 x 1446	2 directional lock 2 swivel
*Wheel Config.	4 wheels - 15	00mm Rubber 2 direction	al lock 2 swivel - Light Duty

Trolley - Garment and Luggage

This Luggage and Garment trolley is constructed from a robust fully welded stainless steel tubular frame, thick plywood base and strong castors built on a fully welded Stainless steel chassis. These trolleys are built to last.



WA-HOS101BIRDCAGE

	Code	Length x Width x Height mm	Finish	Castors mm
	WA HOS101-LUGGARM	1300 x 650 x 1850	S/Steel	4 X 200
١	WA-HOS101BIRDCAGE	1150 x 680 x 1930	S/Steel	4 X 200

Trolley - Garment Rail

This brushed stainless steel garment rail is ideal for distribution of drycleaning to guests rooms or storage of staff uniforms.

Made with a 'Z' base frame perfect for nesting more than one trolley for storage purposes.

- Ideal for distribution of dry cleaning to guests rooms or storage of staff uniforms.
- \checkmark Brushed stainless steel finish for durability and easy cleaning.
- $\checkmark \;\;$ Z Base frame so that you can nest the trolley when not in use.
- ✓ Ideal for commercial laundries, retail, wholesale, the markets & the



	Code	Length x Width x Height mm	Capacity kg	Castors mm
WA	HOS101-GARMENT	1340 x 590 x 1810	150	4 X 100

Trolley - Binmate Type 'A' - Standard

The Reflex BinMate Trolley range will turn your bins into efficient work tools and is great for use in warehouses, factories, offices and process areas.

Features include steel construction with powdercoat finish and all-swivel 125mm diameter TPE castors.

Galvanised, chrome and stainless steel finishes are available by special order.

The Binmate Trolley range has been designed to suit Nally #7, #10 or #15 plastic bins which are purchased separately.





Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A1X L21	630 x 420 x918	605 x 397	-	Beige
RE TC A1P L21	630 x 420 x 918	605 x 397	-	Org

Trolley - Binmate - Type 'A' - Push Handle

Type "A" BinMate Trolley with push handle for improved ergonomics. Designed to suit Nally #7, #10 or #15 plastic bins which are purchased separately.



Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A1HX L21	745 x 420 x 1050	605 x 397	-	Beige
RE TC A1HP L21	745 x 420 x 1050	605 x 397	-	Org

Trolley - Binmate - Type 'A' - Writing/Pencil Top

Type "A" BinMate Trolley featuring writing top and pencil trough. Designed to suit Nally #7, #10 or #15 plastic bins which are purchased separately.



Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC AWX L21	1025 x 420 x 1046	605 x 397	265 x 416	Beige
RE TC AWP L21	1025 x 420 x 1046	605 x 397	265 x 416	Org

Trolley - Binmate - Type 'A' - Writing/Console Top

Type "A" BinMate Trolley featuring writing top and a console to take a Nally N40 Micro Bin. Designed to suit Nally #7, #10 or #15 plastic bins which are purchased separately.



Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC ACX L21	1075 x 420 x 1048	605 x 397	276 x 420 x 168	Beige
RE TC ACP L21	1075 x 420 x 1048	605 x 397	276 x 420 x 168	Org

Trolley - Binmate - Two Tier - Standard

Two Tier BinMate Trolley designed to carry a combination of any two Nally #7, #10 or #15 plastic bins which are purchased separately.



Note: Access maybe restricted if using two #15 bins

Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC TX L21	820 x 420 x1048	605 x 397	-	Beige
RE TC TP L21	820 x 420 x1048	605 x 397	-	Org

Trolley - Binmate - Two Tier - Push Handle

Two Tier BinMate Trolley with push handle for improved ergonomics. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins which are purchased separately.



Note: Access maybe restricted if using two #15 bins

	Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
ſ	RE TC THX L21	925 x 420 x1060	605 x 397	-	Beige
	RE TC THP L21	925 x 420 x 1060	605 x 397	-	Org

Trolley - Binmate - Two Tier - Writing/Pencil Top

Two Tier BinMate Trolley with writing top and pencil trough. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins which are purchased separately.



Note: Access maybe restricted if using two #15 bins

Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC TWX L21	1025 x 420 x 1265	605 x 397	265 x 416	Beige
RE TC TWP L21	1025 x 420 x 1265	605 x 397	265x 416	Org

Trolley - Binmate - Two Tier - Writing/Console Top

Two Tier BinMate Trolley featuring writing top and a console to take a Nally N40 Micro Bin. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins which are purchased separately.



Note: Access maybe restricted if using two #15 bins

Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC TCX L21	1200 x 420 x 1060	605 x 397	276 x 420 x 168	Beige
RE TC TCP L21	1200 x 420 x 1060	602 x 397	276 x 420 x 168	Org

Trolley - Binmate - Twin Bin - Standard

Twin Bin BinMate Trolley standard model. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins side by side (purchased separately). Excellent for sorting and unloading without bending.



Shown with 2 x #15 bins

Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A4X L21	855 x 650 x 925	830 x 625	-	Beige
RE TC A4P L21	855 x 650 x 925	830 x 625	-	Org

Trolley - Binmate - Twin Bin - Push Handle

Twin Bin BinMate Trolley with push handle for improved ergonomics. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins side by side (purchased separately).



Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A4HX L21	970 x 650 x 1050	830 x 625	-	Beige
RE TC A4HP L21	970 x 650 x 1050	830 x 625	-	Org

Trolley - Binmate - Twin Bin - Writing/Pencil Top

Twin Bin BinMate Trolley with writing top and pencil trough. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins side by side (purchased separately).



Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A4WX L21	1250 x 650 x 1050	830 x 625	265 x 416	Beige
RE TC A4WP L21	1250 x 650 x 1050	830 x 625	265 x 416	Org

Trolley - Binmate - Twin Bin - Writing/Console Top

Twin Bin BinMate Trolley featuring writing top and a console to take a Nally N40 Micro Bin. Designed to carry a combination of any two Nally #7, #10 or #15 plastic bins side by side (purchased separately).



Code (excluding bins)	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A4CX L21	1300 x 650 x 1050	830 x 625	276 x 420 x 168	Beige
RE TC A4CP L21	1300 x 650 x 1050	830 x 625	276 x 420 x 168	Org

Trolley - Binmate - Buggy

The large diameter pneumatic wheels and push handle make the Binmate Buggy a suitable alternative for many outdoor applications. The range has been designed to suit Nally #7, #10 or #15 plastic bins which are purchased separately.



Code	Overall L x W x H mm	Lower Deck L x W mm	Colour
RE TC A1P FL11	780 x 420 x 1050	605 x 397	Beige
RE TC A1X FL11	780 x 420 x 1050	605 x 397	Org
RE TC THX FL11	925 x 420 x 1060	605 x 397	Beige
RE TC THP FL11	925 x 420 x 1060	605 x 397	Org

Trolley - Binmate - STABIN

Similar to the BinMate Two Tier trolley; fits two bins, one top and one bottom, ideal for sorting situations. Standard finish is powder coated; optional finishes are stainless steel.



RE TC A7X L21 Standard model





RE TC A7HX L21 With push handle



RE TC A7CX L21 Writing top and a console to take a Nally N40 Micro Bin.



RE TC A7WP L21
With writing top and pencil trough.

Code	Overall L x W x H mm	Lower Deck L x W mm	Writing Top L x W x H mm	Colour
RE TC A7X L21	823 x 463 x 914	786 x 424	-	Beige
RE TC A7P L21	823 x 463 x 914	786 x 424	-	Org
RE TC A7HX L21	940 x 463 x 1060	786 x 424	-	Beige
RE TC A7HP L21	940 x 463 x 1060	786 x 424	-	Org
RE TC A7WX L21	1220 x 463 x 1060	786 x 424	265 x 416	Beige
RE TC A7WP L21	1220 x 463 x 1060	786 x 424	265 x 416	Org
RE TC A7CX L21	1270 x 463 x 1060	786 x 424	276 x 420 x 168	Beige
RE TC A7CP L21	1270 x 463 x 1060	786 x 424	276 x 420 x 168	Org
JS STABIN	Blue bin to suit ab	ove Ext 750 x 46	0 x 200H Int 720 x 40	00 x 190H
NA IH1004			ole STA bin BinMate eg. N40 blue bin = NA	IH1004 BLU

Trolley - X Cart

The X-Cart is a collapsible trolley that can be used for many applications. It is ideal for use in workplaces, schools, home, office, hospitals, courier services, shopping malls, nursing homes and much more.

It is completely collapsible with the push of a button on the handle. The wheels are able to be removed by a push of a button and stored underneath for compact, out of the way storage.



Code	Folded L x W x H mm	Erect L x W x H mm	Capacity kg Upper / Lower
MH X-CART	740 x 540 x 105	1000 x 600 x 1070	25/50
MH X-CARTCRATE		Extra Crate	

Trolley - Clax Folding Cart

This German made two tier folding trolley can be collapsed quickly and easily at the push of a button and is designed to transport small to medium sized materials. Weighs just 7kg but can carry loads of up to 60kg.

It features a foot brake, removable wheels and a 46 litre capacity. Additional crates can be placed on the two trays for extra carrying capacity. The trolley and crates are collapsible to fold flat. The rear wheels are fixed while the two front wheels swivel. One collapsible crate (500mm x 350mm x 260mm) is included and extra crates are available.





- ✓ Lightweight
- √ Foot brake
- ✓ European quality
- ✓ Extra boxes available
- √ Removable wheels
- √ 46 litre capacity
- √ Fully portable
- √ Numerous applications



Code	Folded L x W x H mm	Erect L x W x H mm	Capacity kg Upper / Lower
PR CLAXMOBIL	670 x 470 x 110	890 x 550 x 1030	20 / 40
PR CLCRATE		Spare Crate	

Trolley - Goods Trolley

The RGT-01 General Purpose Goods Trolley offers the space saving benefit of being able to be collapsed easily for storage when not in use.



- √ 4 x150mm swivel castors (2 braked)
- √ Fold away upper shelf
- 270 degree opening lockable gates
- Single or two shelf configuration.

500

	0		s, 3 Step Extended)		eck, 2 Step ps Extended)
Code	Decks	Stens	Overall	Height Top	Height Top

Access those higher shelves with this compact order picking trolley

With a handy deck size of 810 x 510mm these powdercoat finished

trolleys are ideal for retail, office, factory or warehouse environments.

The two-step ladder is available in the two deck trolley, whilst the three-

Code	Decks	Steps	Overall L x W x H mm	Height Top Deck mm	Height Top Step mm
RE TL2DP2STL27	2	2	884 x 510 x 1210	705	425
RE TL2DP3STL27	2	3	884 x 510 x 1400	705	555
RE TL2FP3STL27	3	3	884 x 510 x 1400	1100	555
*Wheel Config	Wheel Config L27: 4 wheels - 125mm polyurethane 2 fixed 2 swivel				

Trolley - Ladder Type - Folding

EW RGT-01

Triple Deck featuring a lipped top deck. Safe foldable platform ladder for accessing raised stock locations rated to 150kg. Robust Corner Bumpers. Featuring 2 swivel castors and 2 lockable swivel castors. Impressive 350kg total load capacity. The Reflex Equip Ladder Trolleys come with a 1 Year Warranty.

Length mm

1095



Specifications:

792

- Shelf Clearance: 45mm (top shelf lip) / 710mm (top to middle) / 660mm (middle to bottom)
- ✓ Ladder Deck Size: 470mm x 420mm platform, 755mm high
- Load Capacity kg: Up to 70kg (Top Shelf) / 110kg (Centre Shelf) / 135kg (Bottom Shelf)
- Castors: 125mm Dia. (2 swivel castors - 2 lockable swivel castors)

Trolley - Platform Parcelmate

Trolley - Ladder Type - Folding

with a unique fold away two or three step ladder.

step is available with either the two or three deck trolley.

Non-slip vinyl surfaced deck and a foldable handle make this a great trolley for carrying taller loads. Ideal for office, retail, factory and healthcare environments.



Code	Decks	Deck L x W mm	Handle Height mm	Max Load kg	Castors mm
TS TSS11	1	740 x 480	1000	150	4 x 100
TS TSL11	1	890 x 600	1000	250	4 x 125
TS TSXL12	1	1160 x 760	1000	300	4 x 160

Trolley - Platform Megamate - Junior

The Junior MegaMate platform trolley with single push handle features steel tube construction for hard, everyday use.



	PNA FA
A 100000	

Code	Decks	Steps	Shelf Size mm	Overall L x H mm	Load Capacity kg
TS TSSPL	3	2	810 x 580	1140(fold)/1535 x 1790	70 / 110 / 135







- ✓ Deck Size 900 x 450mm
- ✓ Load capacity 200kg maximum
- ✓ Ergonomic push handle
- √ Powdercoat finish
- ✓ Poly or Tube deck
- ✓ Wheels 125mm rubber (2 x fixed/2 x swivel)

Code	Deck	Overall L x W x H mm	Deck L x W mm	Wheel Config*		
RE TLBY2DBFL29	Poly	975 x 450 x 1000	900 x 450	L29		
RE TLBY2DFL29	Tube	975 x 450 x 1000	900 x 450	L29		
Wheel Config*	L29: 4 w	L29: 4 wheels - 125 mm Rubber 2 fixed 2 swivel				

Trolley-Vinyl Top-Platform-Steel Single Handle

The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market. Yellow protectors on all folding handle trolleys.



Pedal Brake Option HB Model Only TS FB-HB



Code	Load Capacity kg	Size mm	Handle Height	Wheel mm
TS HL110	220	745 x 485	1000mm	100
TS HB210	370	920 x 620	1000mm	125
TS HB211	370	920 x 620	1000mm Fixed Handle	125

Trolley-Vinyl Top-Platform-Steel Single Handle

The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market.



Code	Load Capacity kg	Size mm	Handle Height	Wheel mm
TS HG511	650	1170 x 765	1000mm	200

Trolley-Vinyl Top-2 Deck-Steel Double Handle

The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market. Double Handle.



Pedal Brake Option HB Model Only TS FB-HB



Code	Load Capacity kg	Size mm	Handle Height	Wheel mm
TS HL120D	220	785 x 485	860mm	100
TS HB220D	370	965 x 615	930mm	125

Trolley-Vinyl Top-3 Deck-Steel Double Handle

The highest quality imported trolleys. Non-marking PU wheels with precision bearings. 1000mm handle height to suit Australian market. Double Handle.



Pedal Brake Option HB Model Only TS FB-HB



Code	Load Capacity kg	Size mm	Handle Height	Wheel mm
TS HL130D	170	785 x 485	1000mm	100
TS HB230D	300	965 x 615	950mm	125

Trolley - Mesh - Vinyl Top - 2 Deck

A chrome frame and vinyl surfaced decks with chrome mesh surrounds make this an ideal trolley for serving, clearing, mail distribution and more. Available in two deck sizes with two fixed and two swivel castors.



HL12	0M
,	Dec

Code	Decks	Deck L x W mm	Handle Height mm	Max Load kg	Castors mm
HL120M	2	820 x 480	1010	220	4 x 100
HB220M	2	985 x 610	1010	370	4 x 125

Trolley - Steel Full Mesh - Vinyl Top - Platform

Vinyl surfaced deck with full chrome plated mesh surrounds and drop sides make this an ideal trolley for laundry collection. Great for Hospitality and Healthcare industries.

Supplied with two fixed and two swivel castors.



Code	Decks	Deck L x W mm	Handle Height mm	Max Load kg	Castors mm
HB213	1	970 x 615	1005	370	4 x 125
HG313	1	1225 x 760	1010	500	4 x 150

REFLEX EQUIP

(4 wheel)

Trolley - Platform Series 5 - Reflex Model B

Very popular, robust, all steel trolley available in five platform sizes with a choice of wheel sizes and configurations. With a capacity of up to 450kg capacity this is an ideal trolley for the office, factory or warehouse.

Features & Options

- ✓ Five deck sizes
- Standard beige or orange powdercoat finish



Model B

(6 wheel)

range	
teel	-
ndles	- 1
	300
	1
1	
40	Mo (6 v
del B	
wheel)	11



Trolley - Platform Series 5 - Reflex Model C

All the features of the Model B, but with a second handle. Available in

five platform sizes with a choice of wheel sizes and configurations.

office, factory or warehouse.

With a capacity of up to 450kg capacity this is an ideal trolley for the

Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*	Finish
RE T5 M2BXFM64	846 x 510 x 1040	810 x 510	M64	Beige
RE T5 M2BPFM64	846 x 510 x 1040	810 x 510	M64	Orange
RE T5 M2BSFM64	846 x 510 x 1040	810 x 510	M64	S/Steel
RE T5 M2BXFM74	846 x 510 x 995	810 x 510	M74	Beige
RE T5 M2BPFM74	846 x 510 x 995	810 x 510	M74	Orange
RE T5 M2BSFM74	846 x 510 x 995	810 x 510	M74	S/Steel
RE T5 M3BXFM64	1146 x 510 x 1040	1110 x 510	M64	Beige
RE T5 M3BPFM64	1146 x 510 x 1040	1110 x 510	M64	Orange
RE T5 M3BSFM64	1146 x 510 x 1040	1110 x 510	M64	S/Steel
RE T5 M3BXFM74	1146 x 510 x 995	1110 x 510	M74	Beige
RE T5 M3BPFM74	1146 x 510 x 995	1110 x 510	M74	Orange
RE T5 M3BSFM74	1146 x 510 x 995	1110 x 510	M74	S/Steel
RE T5 M4BXFM64	1152 x 610 x 1000	1110 x 610	M64	Beige
RE T5 M4BPFM64	1152 x 610 x 1000	1110 x 610	M64	Orange
RE T5 M4BSFM64	1152 x 610 x 1000	1110 x 610	M64	S/Steel
RE T5 M4BXFM74	1152 x 610 x 955	1110 x 610	M74	Beige
RE T5 M4BPFM74	1152 x 610 x 955	1110 x 610	M74	Orange
RE T5 M4BSFM74	1152 x 610 x 955	1110 x 610	M74	S/Steel
RE T5 M5BXFM64	1152 x 710 x 1000	1110 x 710	M64	Beige
RE T5 M5BPFM64	1152 x 710 x 1000	1110 x 710	M64	Orange
RE T5 M5BSFM64	1152 x 710 x 1000	1110 x 710	M64	S/Steel
RE T5 M5BXFM69	1152 x 710 x 1051	1110 x 710	M69	Beige
RE T5 M5BPFM69	1152 x 710 x 1051	1110 x 710	M69	Orange
RE T5 M5BSFM69	1152 x 710 x 1051	1110 x 710	M69	S/Steel
RE T5 M5BXFM76	1152 x 710 x 980	1110 x 710	M76	Beige
RE T5 M5BPFM76	1152 x 710 x 980	1110 x 710	M76	Orange
RE T5 M5BSFM76	1152 x 710 x 980	1110 x 710	M76	S/Steel
RE T5 M6BXFM69	1752 x 710 x 1051	1710 x 710	M69	Beige
RE T5 M6BPFM69	1752 x 710 x 1051	1710 x 710	M69	Orange
RE T5 M6BXFM76	1752 x 710 x 980	1710 x 710	M76	Beige
RE T5 M6BPFM76	1752 x 710 x 980	1710 x 710	M76	Orange

M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel
M69: 4 wheels - 200 mm Rubber 2 fixed 2 swivel
M74: 6 wheels - 2 x 150mm Rubber 4 x 100mm Rubber
M76: 6 wheels - 2 x 200mm Rubber & 4 x 125mm Rubber

Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*	Finish
RE T5 M2CXFM64	882 x 510 x 1040	810 x 510	M64	Beige
RE T5 M2CPFM64	882 x 510 x 1040	810 x 510	M64	Orange
RE T5 M2CSFM64	882 x 510 x 1040	810 x 510	M64	S/Steel
RE T5 M2CXFM74	882 x 510 x 995	810 x 510	M74	Beige
RE T5 M2CPFM74	882 x 510 x 995	810 x 510	M74	Orange
RE T5 M2CSFM74	882 x 510 x 995	810 x 510	M74	S/Steel
RE T5 M3CXFM64	1182 x 510 x 1040	1110 x 510	M64	Beige
RE T5 M3CPFM64	1182 x 510 x 1040	1110 x 510	M64	Orange
RE T5 M3CSFM64	1182 x 510 x 1040	1110 x 510	M64	S/Steel
RE T5 M3CXFM74	1182 x 510 x 995	1110 x 510	M74	Beige
RE T5 M3CPFM74	1182 x 510 x 995	1110 x 510	M74	Orange
RE T5 M3CSFM74	1182 x 510 x 995	1110 x 510	M74	S/Steel
RE T5 M4CXFM64	1194 x 610 x 1000	1110 x 610	M64	Beige
RE T5 M4CPFM64	1194 x 610 x 1000	1110 x 610	M64	Orange
RE T5 M4CSFM64	1194 x 610 x 1000	1110 x 610	M64	S/Steel
RE T5 M4CXFM74	1194 x 610 x 955	1110 x 610	M74	Beige
RE T5 M4CPFM74	1194 x 610 x 955	1110 x 610	M74	Orange
RE T5 M4CSFM74	1194 x 610 x 955	1110 x 610	M74	S/Steel
RE T5 M5CXFM64	1194 x 710 x 1000	1110 x 710	M64	Beige
RE T5 M5CPFM64	1194 x 710 x 1000	1110 x 710	M64	Orange
RE T5 M5CSFM64	1194 x 710 x 1000	1110 x 710	M64	S/Steel
RE T5 M5CXFM69	1194 x 710 x 1051	1110 x 710	M69	Beige
RE T5 M5CPFM69	1194 x 710 x 1051	1110 x 710	M69	Orange
RE T5 M5CSFM69	1194 x 710 x 1051	1110 x 710	M69	S/Steel
RE T5 M5CXFM76	1194 x 710 x 980	1110 x 710	M76	Beige
RE T5 M5CPFM76	1194 x 710 x 980	1110 x 710	M76	Orange
RE T5 M5CSFM76	1194 x 710 x 980	1110 x 710	M76	S/Steel
RE T5 M6CXFM69	1794 x 710 x 1051	1710 x 710	M69	Beige
RE T5 M6CPFM69	1794 x 710 x 1051	1710 x 710	M69	Orange
RE T5 M6CXFM76	1794 x 710 x 980	1710 x 710	M76	Beige
RE T5 M6CPFM76	1794 x 710 x 980	1710 x 710	M76	Orange

M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel M69: 4 wheels - 200 mm Rubber 2 fixed 2 swivel M74: 6 wheels - 2 x 150mm Rubber & 4 x 100mm Rubber M76: 6 wheels - 2 x 200mm Rubber & 4 x 125mm Rubber

Wheel Config*

Trolley-Platform Megamate-Tube Deck Model B Trolley-Platform Megamate-Tube Deck Model C



Tul	be	De	ck
(6	wl	hee	el)

Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*		
RE TMBZ2R M24	950 x 450 x 965	900 X 450	M24		
RE TMBY2R FM64	950 x 450 x 1030	900 X 450	M64		
RE TMBZ4R M24	1250 x 450 x 965	1200 X 450	M24		
RE TMBY4R FM64	1250 x 450 x 1030	1200 X 450	M64		
RE TMBZ6R M24	1250 x 600 x 965	1200 X 600	M24		
RE TMBY6R FM64	1250 x 600 x 1030	1200 X 600	M64		
Wheel Config* M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corners M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel					

Trolley-Platform Megamate-Steel Deck Model B





	•				
Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*		
RE TMBZ2RS M24	950 x 450 x 965	900 X 450	M24		
RE TMBY2RSFM64	950 x 450 x 1030	900 X 450	M64		
RE TMBZ4RS M24	1250 x 450 x 965	1200 X 450	M24		
RE TMBY4RSFM64	1250 x 450 x 1030	1200 X 450	M64		
RE TMBZ6RS M24	1250 x 600 x 965	1200 X 600	M24		
RE TMBY6RSFM64	1250 x 600 x 1030	1200 X 600	M64		
Wheel Config* M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corners M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel					

Trolley-Platform Megamate-Poly Deck Model B

MegaMate platform trolleys are super tough, heavy duty trolleys. Strong, heavy steel tube construction made for tough, everyday use. Up to 450kg capacity.

- ✓ Options
- Tube deck for large boxes, bags, etc.
- Poly deck for loose or small items
- Available in two handle models (Model C)

UP TO 450 KG CAPACITY

Poly Deck (6 wheel)



Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*	
RE TMBZ2RB M24	950 x 450 x 965	900 X 450	M24	
RE TMBY2RBFM64	950 x 450 x 1030	900 X 450	M64	
RE TMBZ4RB M24	1250 x 450 x 965	1200 X 450	M24	
RE TMBY4RBFM64	1250 x 450 x 1030	1200 X 450	M64	
RE TMBZ6RB M24	1250 x 600 x 965	1200 X 600	M24	
RE TMBY6RBFM64	1250 x 600 x 1030	1200 X 600	M64	
Wheel Config* M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corners M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel				



REFLEX EQUIP

Tube Deck (6 wheel)

Standard Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*
RE TMCZ2R M24	1000 x 450 x 965	900 X 450	M24
RE TMCY2R FM64	1000 x 450 x 1030	900 X 450	M64
RE TMCZ4R M24	1300 x 450 x 965	1200 X 450	M24
RE TMCY4R FM64	1300 x 450 x 1030	1200 X 450	M64
RE TMCZ6R M24	1300 x 600 x 965	1200 X 600	M24
RE TMCY6R FM64	1300 x 600 x 1030	1200 X 600	M64
Wheel Config*	M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on co M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel		5mm nylon on corners

Trolley-Platform Megamate-Steel Deck Model C



Steel Deck (6 wheel)

Standard Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*
RE TMCZ2RS M24	1000 x 450 x 965	900 X 450	M24
RE TMCY2RSFM64	1000 x 450 x 1030	900 X 450	M64
RE TMCZ4RS M24	1300 x 450 x 965	1200 X 450	M24
RE TMCY4RSFM64	1300 x 450 x 1030	1200 X 450	M64
RE TMCZ6RS M24	1300 x 600 x 965	1200 X 600	M24
RE TMCY6RSFM64	1300 x 600 x 1030	1200 X 600	M64
Wheel Config* M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corn M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel			75mm nylon on corners I

Trolley-Platform Megamate-Poly Deck Model C

Same great MegaMate! Super tough, heavy duty trolley features as the Model B with a push handle at both ends. Also available with all-round optional buffer.



Data sheets with detailed





Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*
RE TMCZ2RB M24	1000 x 450 x 965	900 X 450	M24
RE TMCY2RBFM64	1000 x 450 x 1030	900 X 450	M64
RE TMCZ4RB M24	1300 x 450 x 965	1200 X 450	M24
RE TMCY4RBFM64	1300 x 450 x 1030	1200 X 450	M64
RE TMCZ6RB M24	1300 x 600 x 965	1200 X 600	M24
RE TMCY6RBFM64	1300 x 600 x 1030	1200 X 600	M64
Wheel Config*	M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corn M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel		on corners

Trolley-Platform Megamate-Mesh Deck Model B



Code	Overall L x W x H mm	Deck L x W mm	Wheel Config*
RE TMB6STF M24	1250 x 600 x 965	1200 x 600	M24
Wheel Config*	M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on cor		

Trolley - Platform Megamate - High Sides

High sides make this an ideal trolley for the movement of sheet materials, timber, pipe and similar loads. Also available with Poly or metal deck.



Code	Deck Type	Overall L x W x H mm	Deck L x W mm	Wheel Config*
RE TMCLZ6R M24	Tube	1200 x 600 x 1088	1200 X 600	M24
RE TMCLY6RFM64	Tube	1200 x 600 x 1161	1200 X 600	M64
RE TMCLZ6B M24	Poly	1200 x 600 x 1088	1200 X 600	M24
RE TMCLY6BFM64	Poly	1200 x 600 x 1161	1200 X 600	M64
RE TMCLZ6S M24	Metal	1200 x 600 x 1088	1200 X 600	M24
RE TMCLY6SFM64	Metal	1200 x 600 x 1161	1200 X 600	M64
Wheel Config*	M24: 6 wheels - 2×200 mm centre rubber & 4×75 mm nylon on corner M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel			nylon on corners

Trolley - Platform Megamate - Mesh Sides

The same heavy, steel tube construction of the Model C MegaMate but with all-round mesh enclosure. Both sides are easily removed as required.

Available with tube, Poly or steel 1200 x 600mm deck size with a load capacity of 450kg. Also available with an all-round optional buffer.





Poly Deck

Code	Deck Type	Overall L x W x H mm	Deck L x W mm	Wheel Config*
RE TMMZ6R M24	Tube	1300 x 600 x 955	1200 X 600	M24
RE TMMY6RFM64	Tube	1300 x 600 x 1030	1200 X 600	M64
RE TMMZ6RB M24	Poly	1300 x 600 x 955	1200 X 600	M24
RETMMY6RBFM64	Poly	1300 x 600 x 1030	1200 X 600	M64
RE TMMZ6RS M24	Metal	1300 x 600 x 955	1200 X 600	M24
RE TMMY6RSFM64	Metal	1300 x 600 x 1030	1200 X 600	M64
Wheel Config*	M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corn M64: 4 wheels - 150 mm Rubber 2 fixed 2 swivel			nylon on corners

Trolley - Platform Megamate - Tube Deck - Braked

Famous MegaMate platform trolley comes equipped with a "deadman's" brake that prevents runaways when loading and unloading. Strong, heavy steel tube construction made for tough, everyday use.











Safe dead-man's Friction operated handle braking

Sturdy braking mechanism

Standard Code	Overall L x W x H mm	Deck LxWmm	Load Capacity kg
RE TBBZ6RB M24	1250 x 600 x 955	1200 X 600	450
Wheel Config*	M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75mm nylon on corner		

Trolley - Gyprock - Reflex

Special purpose trolley for the movement of gyprock or other sheet materials.

Robust steel construction, Powdercoat finish and large rubber tyred wheels make this an ideal choice for multi storey construction site applications.

Wheels (2 fixed 2 swivel) are 200mm rubber tyred with roller bearings.



Code	Overall L x W x H mm	Deck L x W mm	Wheel Config
RE TMGTY6RFM69	1200 x 600 x1380	1200 X 440	M69
Wheel Config*	M69: 4 wheels - 200 mm Rubber 2 fixed 2 swivel		

Trolley - OEASY - Panel Platform Trolley

Designed to carry small parcels & objects. Powder coated steel fence around trolley to protect objects during transportation. Designed to deliver small parcels and small objects.

- The powder-coated fence around the truck ensures effective protection of objects to be transported.
- The fence is removable to allow for transporting jumbo size object.
- User-friendly handrails add to easy manoeuvrability and higher worker safety.
- Sturdy and durable structural foam construction adds to the durability and service life of the cart.
- Powder-coated steel handrails ensure durability.
- Two directional castors plus two swivel castors ensure easy manoeuvrability.



Code	Overall LxWxHm	m Load Capacity k	g Wheels
TR 4463	3K 1422 x 610 x 1048	900	4 x 200mm PP

Trolley - OEASY - Platform Trolley

Sturdy structural foam construction adds strength & durability. Textured non-skid Surface. Tiedown notches for securing loads. Powder coated steel Handle. Pneumatic Castors Option.



Code	Overall LxWxHmm	Load Capacity kg	Wheels
TR 4411BK	1019 x 610 x 1006	450	4 x 150mm TPR
TR 4412BK	1019 x 610 x 1006	900	4 x 150mm PP

Trolley - OEASY - Platform Trolley

Sturdy structural foam construction adds strength & durability. Textured non-skid Surface. Tiedown notches for securing loads. Powder coated steel Handle.



Code	Overall L x W x H mm	Load Capacity kg	Wheels
TR 4416BK	1629 x 762 x 1057	900	4 x 200mm TPR

Trolley - OEASY - Sheet & Panel Trolley

Designed for transporting large, bulky plate-like items. i.e. Doors, Wood Panel Sheets, etc. Frames can be removed as needed to suit Load Requirements. Sturdy structural foam construction adds strength & durability. Textured non-skid surface. Tiedown notches for securing loads. Powder coated steel handle.



Code	Overall LxWxHmm	Load Capacity kg	Wheels
TR 4432BK	1289 x 610 x 1140	900	4 x 200mm PP

Trolley - OEASY - Platform Trolley

Sturdy structural foam construction adds strength & durability. Textured non-skid Surface. Tiedown notches for securing loads. Powder coated steel Handle. Pneumatic Castors Option.



Code	Overall L x W x H mm	Load Capacity kg	Wheels
TR 4413BK 1324 x 610 x 1057		900	4 x 200mm TPR
TR 4414BK	1324 x 610 x 1070	540	4 x 200mm Pneumatic

Trolley - OEASY - A Frame Panel Trolley

Designed for transporting large, bulky plate-like items. i.e. Doors, Wood, Wardrobes, etc. High-side inclined frame & side rail holds load firmly in place during transit. Sturdy structural foam construction adds strength & durability. Textured non-skid surface. Tiedown notches for securing Loads. Powder Coated Steel Handle.





Code	Overall L x W x H mm	Overall L x W x H mm Load Capacity kg	
TR 4421BK	984 x 610 x 1092	900	4 x 150mm TPR
TR 4422BK	1289 x 610 x 1140	900	4 x 200mm PP

Trolley - U-Boat Trolley

Ideal choice for storing, counting & picking goods. Constructed of Commercial Grade Plastic & Galvanised Steel. Powder Coated Steel Handle. Optional Extra Shelf Available.



Code	ode Overall L x W x H mm Load Capacity kg		Wheels
TR 4061BK	1634 x 454 x 1632	810	6 x 125mm
TR 4062BK	1960 x 454 x 1632	810	6 x 125mm

Trolley - Janitor / Cleaning Cart

Collect and transport tools for efficient cleaning. Includes zippered bag for easy rubbish removal, smooth, easy-to-clean surface and non-marking 200mm wheels and 100mm castors.





Optional TR 6978YE Polyliner with Side Bag to suit TR 5011BK also available

Code	Overall L x W x H mm	Wheels
TR 5011BK	1168 x 552 x 975	2 x 200mm wheels 2 x 100mm castors
TR 6978YE	438 x 267 x 775	Polyliner with Side Bag

Trolley - Housekeeping Cart

A complete system solution for housekeeping in the hospitality industry featuring commercial grade moulded construction with 200mm non-marking wheels and locking brakes.







Code	Code Overall L x W x H mm		de Overall L x W x H mm Wheels		Description	
TR 502	1BK	1524 x 559 x 1270	4 x 200mm wheels	Housekeeping Cart		
TR 502	2BK	1524 x 559 x 1270	4 x 200mm wheels	Housekeeping Cart with Doors		

Trolley - Housekeeping Cart

A complete system solution for housekeeping in the hospitality industry featuring commercial grade moulded construction with 200mm non-marking wheels and locking brakes.



Code	Overall L x W x H mm	Wheels
TR 5031BK	1240 x 559 x 1230	4 x 200mm wheels
TR 5051BK	1024 x 510 x 1090	4 x 180mm wheels

Trolley - Laundry & Waste Cart

For Waste Collection, Material Handling & Laundry Handling. Fits through Standard Doorways and into elevators easily Metal Frame & Industrial Strength Structural Foam Construction.



TR 4710BK / TR4711BK

Code	Overall L x W x H mm	Load Capacity kg	Cubic Capacity m ³
TR 4612BK	1457 x 683 x 861	200	0.4
TR 4710BK	965 x 660 x 715	135	0.2
TR 4711BK	1086 x 711 x 838	180	0.3

Trolley - Housekeeping Cart

A complete system solution for housekeeping in the hospitality industry featuring commercial grade moulded construction with 200mm non-marking wheels and locking brakes.



Code	Overall L x W x H mm Wheels		Description
TR 5023BK	1524 x 559 x 1710	4 x 200mm wheels	Cart with Doors & Hood

Trolley - Linen Trolley

- Durable, Light Weight and Easy to Control.
- ✓ High Quality Vinyl Bag.
- ✓ Folds to Make Storage and Transport Easier.



TR 5041/TR 5042

Code	Overall L x W x H mm	Load Capacity Litre
TR 5041	705 x 635 x 876	170
TR 5042	940 x 660 x 1010	340

Trolley - Big Bin Reflex

Tough and durable moulded plastic bins complete with a durable hot dip galvanised frame mounted on a selection of light and medium duty castors. Ideal for linen, laundry or waste removal in a variety of industries including healthcare and hospitality.

Optional bolt-on galvanised push handles are available on several models as indicated. Optional bin lids are similarly indicated.

Some models are also compatible with the BINSERT which can dramatically reduce the risk of spinal injury associated with unloading and loading your trolleys.





Drop a BINSERT into your trolley and STOP BENDING!

and loading your trolleys.						G			
Code	Bin	Capacity litre	Bin Internal L x W x H mm	Unit Overall L x W x H mm **	Wheel Config*	Bin Colour	Bolted Handle Code	Lid Code	Binsert Compatible
RE TD LBM130A	M130	130	680 x 440 x 525	725 x 495 x 661	L14	Natural	RE TD PH21G	RE M130LNAT	-
RE TD LBM130B	M130	130	680 x 440 x 525	725 x 495 x 690	L33	Natural	RE TD PH21G	RE M130LNAT	-
RE TD LBM130B1	M130	130	680 x 440 x 525	725 x 495 x 690	L33	Black	RE TD PH21G	RE M130LBLA	-
RE TD LBM130B2	M130	130	680 x 440 x 525	725 x 495 x 690	L33	Blue	RE TD PH21G	RE M130LBLU	-
RE TD LBR160A	R160	160	600 x 600 x 440	690 X 690 X 625	L14	Natural	-	DX R160LID	-
RE TD LBR160B	R160	160	600 x 600 x 440	690 X 690 X 655	L33	Natural	-	DX R160LID	-
RE TD LBR160B1	R160	160	600 x 600 x 440	690 X 690 X 655	L33	Black	-	DX R160LID	-
RE TD LBM170A	M170	170	680 x 440 x 675	725 x 495 x 811	L14	Natural	RE TD PH21G	RE M130LNAT	-
RE TD LBM170B	M170	170	680 x 440 x 675	725 x 495 x 840	L33	Natural	RE TD PH21G	RE M130LNAT	-
RE TD LBM170B1	M170	170	680 x 440 x 675	725 x 495 x 840	L33	Black	RE TD PH21G	RE M130LBLA	-
RE TD LBM170B2	M170	170	680 x 440 x 675	725 x 495 x 840	L33	Blue	RE TD PH21G	RE M130LBLU	-
RE TD LBM180B	M180	180	815 x 502 x 520	880 x 560 x 765	L33	Natural	RE TD PH20G	RE M180LNAT	Υ
RE TD LBM180B1	M180	180	815 x 502 x 520	880 x 560 x 765	L33	Black	RE TD PH20G	RE M180LBLA	Υ
RE TD LBM180B2	M180	180	815 x 502 x 520	880 x 560 x 765	L33	Blue	RE TD PH20G	RE M180LBLU	Υ
RE TD LBTA1216	TA1216	250	1030 x 505 x 520	1185 x 665 x 710	L33	Natural	-	-	Υ
RE TD LBM322	M322	320	900 x 600 x 615	1005 x 710 x 780	L33	Natural	RE TD PH22G	RE M322LNAT	Υ
RE TD LBM3221	M322	320	900 x 600 x 615	1005 x 710 x 780	L33	Black	RE TD PH22G	RE M322LBLA	Υ
RE TD LBM3222	M322	320	900 x 600 x 615	1005 x 710 x 780	L33	Blue	RE TD PH22G	RE M322LBLU	Υ
RE TD MBM322	M322	320	900 x 600 x 615	1005 x 710 x 837	M64	Natural	RE TD PH22G	RE M322LNAT	Υ
RE TD MBM3221	M322	320	900 x 600 x 615	1005 x 710 x 837	M64	Black	RE TD PH22G	RE M322LBLA	Υ
RE TD MBM3222	M322	320	900 x 600 x 615	1005 x 710 x 837	M64	Blue	RE TD PH22G	RE M322LBLU	Υ
RE TD LBR340B	R340/915	340	590 x 590 x 900	670 X670 X 1080	L33	Natural	-	DX R160LID	-
RE TD LBR340B1	R340/915	340	590 x 590 x 900	670 X 670 X 1080	L33	Black	-	DX R160LID	-
RE TD LBM422	M422	450	1240 x 615 x 650	1380 x 770 x 815	L33	Natural	RE TD PH22G	RE M422LNAT	Υ
RE TD LBM4221	M422	450	1240 x 615 x 650	1380 x 770 x 815	L33	Black	RE TD PH22G	RE M422LBLA	Υ
RE TD LBM4222	M422	450	1240 x 615 x 650	1380 x 770 x 815	L33	Blue	RE TD PH22G	RE M422LBLU	Υ
RE TD MBM422A	M422	450	1240 x 615 x 650	1380 x 770 x 872	M64	Natural	RE TD PH22G	RE M422LNAT	Υ
RE TD MBM422A1	M422	450	1240 x 615 x 650	1380 x 770 x 872	M64	Black	RE TD PH22G	RE M422LBLA	Υ
RE TD MBM422A2	M422	450	1240 x 615 x 650	1380 x 770 x 872	M64	Blue	RE TD PH22G	RE M422LBLU	Υ
RE TD LBM500	M500	500**	1100 x 720 x 740	1190 x 830 x 905	L33	Natural	-	-	-
RE TD LBM5001	M500	500**	1100 x 720 x 740	1190 x 830 x 905	L33	Black	-	-	-
RE TD LBM5002	M500	500**	1100 x 720 x 740	1190 x 830 x 905	L33	Blue	-	-	-
RE TD MBM500	M500	500**	1100 x 720 x 740	1190 x 830 x 962	M64	Natural	-	-	-
RE TD MBM5001	M500	500**	1100 x 720 x 740	1190 x 830 x 962	M64	Black	_	_	-
RE TD MBM5002	M500	500**	1100 x 720 x 740	1190 x 830 x 962	M64	Blue		-	-
RE TD LBM600	M600	600	1200 x 700 x 770	1355 x 860 x 935	L33	Natural	RE TD PH23G	-	Υ
RE TD LBM6001	M600	600	1200 x 700 x 770	1355 x 860 x 935	L33	Black	RE TD PH23G	_	Υ
RE TD LBM6002	M600	600	1200 x 700 x 770	1355 x 860 x 935	L33	Blue	RE TD PH23G	_	Y
RE TD MBM600	M600	600	1200 x 700 x 770	1355 x 860 x 992	M64	Natural	RE TD PH23G	_	Y
RE TD MBM6001	M600	600	1200 x 700 x 770	1355 x 860 x 992	M64	Black	RE TD PH23G	_	Y
RE TD MBM6002	M600	600	1200 x 700 x 770	1355 x 860 x 992	M64	Blue	RE TD PH23G	_	Y
RE TD MBE79A	E79	1000	1830 x 760 x 790	1950 x 890 x 1062	M69	Natural			_
									-
RE TD MBE79A1	E79	1000	1830 x 760 x 790	1950 x 890 x 1062	M69 Bolted Handle	Black	-	-	-
Wheel Config*		L14:4 v	vheels - 75mm Nylon a vheels - 100mm Nylon	ll swivel	Doiled Hallule	M64 : 4 who	eels - 150 mm Rubbe eels - 200 mm Rubbe	r 2 fixed 2 swivel	
		200.41	•		neasurement is G		200 11111 (4000)		
** This is a tapered bin. Base measurement is 960mm x 580mm									

Trolley - Big Bin Reflex



Trolley- Big Bin Push Handle - Reflex

Bolt-on Push Handles are an optional addition to your Reflex Big Bin Trolley.

Available in galvanised finish.



Code	Suits Bin Trolley	Finish
RE TD PH21G	Reflex 130 litre and 170 litre	Galvanised
RE TD PH20G	Reflex 180 litre	Galvanised
RE TD PH22G	Reflex 320 litre and 450 litre	Galvanised
RE TD PH23G	Reflex 600 litre	Galvanised





Binsert

By keeping the load at around the correct working height, BINSERT can dramatically reduce the risk of spinal injury associated with unloading and loading your trolleys.

BINSERT is spring actuated and automatically descends as the load increases and ascends as the load lessens.

- Stop fatigue
- Reduce injury
- Increase productivity
- Easily cleaned



Cut-a-way view of BINSERT mechanism

BINSERT compatible bins are indicated by a "Y" in the Big Bin Trolley tables.

Note: There are 5 spring capacity options; 25kg, 50kg, 70kg, 100kg and 150kg.



Handtruck - Megatruck - Straight Back

Powder coated, medium duty handtruck. Ideal for couriers or suitable for general use in warehouses, factories and offices. Large 250mm diameter ball bearing wheels are ideal for rougher ground, steps, gutters, etc.. and are available with solid rubber or pneumatic tyres. Smaller 200mm wheels are more suited to single level operation without steps, gutters, etc.. The six wheel stair climber set-up is ideal for constant stair use.



RE H12M-1





Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
RE H12M-1	355 x 230	1230	250	Solid Rubber
RE H12M-5C	355 x 230	1230	250	Pneumatic
E H12T-SCA2	355 x 230	1230	Solid 6 wheel	stair climber setup

Handtruck - Megatruck - 'P' Handle

Top quality, heavy duty hand truck ideal for shop, warehouse, office, home use, or factory. The "P" handle leaves a hand free for opening and closing doors and steadying the load.



Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
RE H17-1	355 x 230	1240	250	Solid Rubber
RE H17-5C	355 x 230	1240	250	Pneumatic

Handtruck - Megatruck - Large Toe Plate

For carrying those extra large loads these heavy duty, general purpose handtrucks have extra large (500W x 430mmD) toe plates fitted.



			11110 01	•
Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
RE H15-1	500 x 430	1230	250	Solid Rubber
RE H15-5C	500 x 430	1230	250	Pneumatic

Handtruck - Megatruck - Carton

A robust handtruck designed for moving maximum height stacks of drink cartons. Has a lay-back design for ease of use.



250mm Diameter **Pneumatic wheels** offer the best ride over rough ground, gutters and stairs.

Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
RE H13-1	520 x 175	1345	250	Solid Rubber
RE H13-5C	520 x 175	1345	250	Pneumatic

5 YEAR WARRANTY COVERAGE

COVERS REFLEX MANUFACTURED TROLLEYS AND HAND TRUCKS AGAINST DEFECTS IN MATERIALS OR **WORKMANSHIP FOR A PERIOD OF 5** YEARS FROM THE DATE OF PURCHASE





	WHEEL REFERENCE CHART FOR HANDTRUCKS					
Below is a list of wheel configuration 'suffixes' that form part of the code for Reflex handtrucks. eg. RE H12M-5C is a: Straight back MegaTruck with 250mm Medium duty, pneumatic wheel, non-precision bearings.						
-1	2 x 250mm Medium duty, solid rubber tyred wheel, precision bearings					
-5C	2 x 250mm Medium duty, pneumatic wheel, non-precision bearings					
-SCA2	Stairclimber assembly, 150mm solid rubber tyred wheel, roller bearings					

Handtruck - Megatruck - Appliance

TS HT4P

General purpose, mid-sized appliance handtruck suitable for handling washing machines, stoves and smaller refrigerators. Also available as a stair climber model.



	Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
	TS HT4P	455 x 185	1235	250	Puncture Proof
	TS HT4A	455 x 185 1235 6 wheel stair			ir climber setup
ſ	RC 11-9001	Optional strap and ratchet unit			

Handtruck - Refrigerator

Rugged handtruck designed for handling refrigerators and similar tall items. Fully welded frame gives maximum strength and longevity.



Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
TS HT5P	455 x 185	1540	250	Pneumatic
RC 11-9001	Optional strap and ratchet unit			

Handtruck - Refrigerator - Stair Climber

Rugged handtruck designed for handling refrigerators and similar tall items. Features Stair climber wheels for traversing stairs.



Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type	
TS HT5A	425 x 200	1540	6 wheel sta	ir climber setup	
RC 11-9001	Optional strap and ratchet unit				

Handtruck - Drum

This powder coated, heavy duty handtruck is designed to transport 200 litre (44 gallon) drums. Equipped with a safety chain for improved safety. The large 250mm diameter wheels on this hand truck are ideal for rougher ground, steps, gutters and the like.



Code	Toe Size W x D mm	Height mm	Wheel mm	Wheel Type
TS HTMP	455 x 195	1235	250	Pneumatic

Handtruck - Box 'N' Bag - Industrial Trolley

Powder Coated Structural Steel. 1290 x 370mm Frame Size. Multi Grip Loop Handle. The Load Support System provides full height, flat surface RHS frame for secure support of double box stacks. Suitable for heavy loads of boxed & bagged products.

Puncture - Proof Wheels Available



TOE-TO-TOE TP450

Optional Extra

- 450 x 450mm.
- Extends the base of your trolley to give a larger surface area toe plate.





Code	Trolley H x W mm	Base Plat L x W x H mm	Wheel Type	
TS SF300	1290 x 370mm	430 x 240 x 9mm	260mm	
Option Extra	Toe-To-Toe: TP450 450 x 450mm			

Handtruck - All Rounder - Industrial Trolley

Powder Coated Structural Steel. Ergonomic Hand Grips. 1400 x 370mm Frame Size. Suitable as a Multi Purpose Trolley. Excellent for heavy drums, barrels, tubs, gas cylinders, garden ornaments, car & truck parts, paint cans, appliances & large boxed goods.


Puncture - Proof Wheels Available



TOE-TO-TOE TP450 Optional Extra

- √ 450 x 450mm.
- Extends the base of your trolley to give a larger surface area toe plate.





Handtruck - Super Mover - Industrial Trolley

Powder Coated Structural Steel. Two Hand Grip Levels. 1560 x 430mm Frame Size. Flat Load Support System Ratchet Strap can be fitted. Tall & strong trolley suitable for safely moving big fridges, freezers, ATM machines, game machines, stacks of tyres, large hot water cylinders, heavy gas cylinders & furniture.

Puncture - Proof Wheels Available



TOE-TO-TOE TP450 Optional Extra

- ✓ 450 x 450mm.
- Extends the base of your trolley to give a larger surface area toe plate.



Code	Trolley H x W mm	Base Plat L x W x H mm	Wheel Type
TS DL1600C	1560 x 430mm	430 x 240 x 9mm	320mm Puncture - Proof Wheels
Option Extra	ra Toe-To-Toe: TP450 450 x 450mm		



Handtruck - Dual Purpose Aluminium

The Gemini Jr. Dual Purpose Hand Truck easily converts from an upright hand truck to a flatbed platform trolley in seconds. Capacity as a hand truck is 226 kilograms and 453 kilograms when used as a platform trolley. Available with 250mm pneumatic or 250mm semi-pneumatic (foam filled) wheels.



Code	Trolley H x W mm	Platform L x W mm	Wheel Type
SY HTC101	1190 x 520	900 x 305	250mm Pneumatic
SY HTC102	1450 x 520	1300 x 305	250mm Pneumatic

Handtruck - Ruxxac-Cart

A light-weight folding handtruck with a high load capacity of 125kg* but weighs just 5.4kg. Large wheels are fitted with puncture proof tyres and extend automatically when the toe plate is lowered.

With an easy to use elastic tie down system the Ruxxac Cart is ideal for sales representatives, repair personnel and couriers looking for a lightweight, easily stowed hand truck. Available in two toe sizes.



Code	Folded H x W x Thick mm	Open H x W x D mm
PR RUXXACBUS	680 x 490 x 55	1030 x 490 x 250
PR RUXXACBUSXL	735 x 490 x 55	1030 x 490 x 410

Handtruck - Solicitors

Features a professional looking chrome finish with hinged shelves and a combination of 200mm wheels and 75mm swivel castors.

It is the ideal hand truck to be used by solicitors and barristers as a Document Hand Truck to transport files, documents and reference books between offices and court rooms.

An optional rain cover to suit is available.



Code	L x W x H mm	Load Capacity kg	Wheel mm	Wheel Type
TS UPFT2	500 x 465 x 1100	120	200	Pneumatic

Handtruck - Chair Mover

Custom made from tubular steel this chair moving trolley is not only strong but also light weight.

Ideal for moving most stacking chairs safely, this compact chair moving trolley is ideal for use by conference centres, schools, hire companies, hospitals and event companies. Depending on what style of chairs you intend to carry, this trolley can take 5-10 chairs.



C	ode	Dimensions mm	Load Capacity kg
SY	HT67	520 X 1560mm	-
TS	CST	330 x 450mm (1st Level)	100

Handtruck - Keg Mover

TSCST

The Multi Keg Mover is a very sensible solution to transporting a wide range of kegs throughout delivery docks and other parts of the premises. Two height adjustments that suit the most common keg shapes (Becks, McWilliams Wines, Tooheys and Carlton).

Available with 250mm solid rubber or pneumatic wheels.



Code	Width mm	Height mm	Wheel mm	Wheel Type	ı
SY HTKEG-5C	540	1170	250	Pneumatic	

Handtruck - Megatruck - Oxygen Bottle

Epoxy finished, compact handtrucks for oxygen cylinders. 150mm diameter rubber wheels. Ideal for hospitals or other healthcare facilities.



G and	E size	D size	C size
Code	Cylinder Type	Height mm	Height to :
GL AX528	Suits 'G' & 'E'size	980	680mm to chain
GL AX546	Suits 'D' size	950	380mm to chain
GL AX537	Suits 'C' size	990	310 to top of cage

Handtruck - Oxygen and Acetylene Cylinder

The TGC2 2 Cylinder Gas Bottle Trolley is a craneable trolley designed to carry one type "G" Oxygen and one type "G" Acetylene gas cylinder.

Complete with an internal loadbinder to securely fasten both cylinders.

Fitted with handles and two 400mm diameter air inflated rubber wheels, this cage can be transported manually with push handles, by forklift using the fork pockets or by crane with the certified lifting sling provided.

The TGC4 4 Cylinder Gas Cylinder Trolley is a craneable trolley designed to carry two type "G" Oxygen and two type "G" Acetylene gas cylinders.

Fitted with two 150mm diameter swivel castors and two fixed castors the trolley can be transported manually, by forklift using the fork pockets, or by crane using the lifting eye provided. Supplied with handy removable ramp and a fire extinguisher for optimum safety.





FW TGC2

EW TGC4

Code	Capacity	SWL kg	Fork Pockets mm	Wheels
EW TGC2	2 x Cylinders	250	165 x 45	2 x 400mm Pneumatic
EW TGC4	4 x Cylinders	500	150 x 85	4 x 150mm Castors

Powered Truck - Powered Trolley Cart

Flat deck electric drive. Single Handle - Large Deck Size. Powerful 400W motor.







TS HG116



TS HG103

TS HG105

TS HG116B

Code	Capacity kg	Dimensions L x W x H mm	Deck Size mm	Motor W	Battery v/Ah	Speed km/h	Table Height Range (Min-Max)mm	Weight kg
TS HG103	500kg	1455 x 630 x 1080mm	1280 x 630mm	400W	2 x 12V/33Ah	3 - 7km/h	-	98kg
TS HG105	500kg	1455 x 630 x 1080mm	1280 x 630mm	400W	2 x 12V/33Ah	3 - 7km/h	-	113kg
TS HG116	400kg	1340 x 600 x 1100mm	1100 x 600mm	800W/400W	2 x 12V/33Ah	-	430 - 1600mm	234kg
TS HG116B	400kg	1340 x 600 x 1100mm	1100 x 600mm	800W/400W	2 x 12V/33Ah	-	430 - 1600mm	234kg

Dolly - Plastic Dolly

Australian Made. Standard colour Blue. Food Grade Plastic. Other colours available POA.

Suits NA IH323 Bread Crate



Γ	Code	Load Capacity kg	Deck LxWmm	Wheel Config*
Γ	TS PD323	140kg	620 x 710mm	100mm
	Suit		NA IH323 Bread Crate	

Dolly - Plastic Dolly

Australian Made. Standard colour Blue. Food Grade Plastic. Other colours available POA.

Suits NA IH066 Fish Crate



ı	Code	Load Capacity kg	Deck LxWmm	Wheel Config*
	TS RM74DY	140kg	710 x 450mm	100mm
	Suit		NA IH066 Fish Crate	

Dolly - Plastic Dolly

Food Grade Plastic. Temperature Rating to - 20°C to 60°C. Standard colours are Yellow, Blue & White. Other colours available POA. Suits Crate NA IH060, NA IH051 & NA IH078 (Sold Separately).

Suits NA IH060, NA IH051, NA IH078 & NA IH315/310 Stack & Nest Tubs



Dolly - Desk Dolly

Versatile, mobile platform for moving light to medium loads, such as cabinets, desks and other office furnishings. Features rubber matted $800 \times 600 \text{mm}$ Polymer deck.



Code	Overall H mm	Deck LxWxHmm	Wheel Config*		
RE TD800600L72	800 x 600 x 154mm	800 x 600 x 154mm	L72		
*Wheel Config	L72 : 4 wheels - 100mm Urethane all swivel				

Dolly - Pack Material

Unique design to suit the manual movement of packs of material. Timber, steel or aluminium tube or sections, plastic pipe. Hand load or place and remove load by forklift. Robust steel tube construction has a powdercoat finish. Standard with six wheel configuration for maximum manoeuvrability.



Code	Overall LxWxHmm	Wheel Config*
RE TMPZ6R M24	1200 x 600 x 735mm	M24
*Wheel Config	M24: 6 wheels - 2 x 200mm centre rubber & 4 x 75m	ım nylon on corners

Dolly - Polymer Deck

Equipped with a Polymer 600mm x 450mm deck, this versatile, mobile platform is ideal for moving light to medium loads, such as cabinets, desks and other furnishings.



Code	Overall L x W x H mm	Wheel Config*
RE TD26045 L73	600 x 450 x 154mm	L73
*Wheel Config	L73 : 4 wheels - 100mm Urethane all sw	ivel

Dolly - Piano Trolley

Heavy duty trolley purpose built for the movement of pianos or furniture items.

Features powder coat finish with 250mm Pneumatic Wheels. Solid 200mm Rubber Wheels optional available.



Code	L x W mm	Capacity kg	Wheel Config
TS TSPTP	860 x 500mm	450kg	4 x 250mm Pneumatic



Contact Reflexequip today for expert advice on the right Flat Bed Dolly for your particular application. We are proud suppliers of Dollies in Australia.

Call 1300 774 872 to discuss your requirements. Or find us on www.reflexequip.com.au



Dolly - Angle Frame

Sturdy hot dip galvanised steel angle frames available in a wide variety of sizes with several wheel options.

Special sizes can be made to order.



Code	L x W (internal) x H mm	Wheel *	Suits Bin	
RE TD L01GFL14	585 x 355 x 145mm	L14	#7/10/15 BINS	
RE TD L01GFL35	585 x 355 x 106mm	L35	#7/10/15 BINS	
RE TD L02GFL14	547 x 348 x 145mm	L14	SERIES 2000 BINS	
RE TD L02GFL35	547 x 348 x 106mm	L35	SERIES 2000 BINS	
RE TD L08GFL14	660 x 390 x 145mm	L14	#12 BIN (NA IH066)	
RE TD L20GFL33	827 x 540 x 202mm	L33	RE M180 BIN	
RE TD L21GFL14	680 x 450 x 172mm	L14	RE M130/M170 BIN	
RE TD L21GFL33	680 x 450 x 202mm	L33	RE M130/M170 BIN	
RE TD L22GFL33	910 x 607 x 212mm	L33	RE M322 BIN(LTE DUTY)	
RE TD M22GFM64	910 x 607 x 266mm	M64	RE M322(MED DUTY)	
RE TD L23GFL33	1249 x 627 x 212mm	L33	RE M422 BIN (LTE DUTY)	
RE TD M23GFM64	1249 x 627 x 266mm	M64	RE M422 BIN (MED DUTY)	
RE TD L24GFL14	610 x 610 x 182mm	L14	DX R160 BIN	
RE TD L24GFL33	610x 610 x 212mm	L33	DX R160 BIN	
RE TD L25GFL14	620 x 620 x 182mm	L14	DX R340/915 BIN	
RE TD L25GFL33	620x 620 x 212mm	L33	DX R340/915 BIN	
RE TD L31GFL33	985 x 615 x 227mm	L33	M500 BIN (LIGHT DUTY)	
RE TD M31GFM64	985 x 615 x 281mm	M64	RE M500 BIN (MED DUTY)	
RE TD L33G L33	1220x 715 x 212mm	L33	RE M600 BIN (LT DUTY)	
RE TD M33GFM64	1220 x 715 x 266mm	M64	RE M600 BIN (MED DUTY)	
*Wheel Config	L35 : 4 wheels - 50mm Nylon all swivel L14 : 4 wheels - 75mm Nylon all swivel L33 : 4 wheels - 100mm Nylon all swivel M64 : 4 wheels - 150 mm Rubber 2 fixed 2 swivel			

Trolley - Linen Skip - Stainless Steel - Single

This stainless steel linen skip is ideal for healthcare environments and is available with or without a foot operated acrylic lid.



AC	758001
Single	Linen Skip

AC 758201 Single Linen Skip with Lid

Code	Lid	Length mm	Width mm	Height mm	Castors mm
AC 758001	No	540	380	850	4 x 75
AC 758201	Yes	540	380	850	4 x 75

Trolley - Linen Skip - Stainless Steel - Double

This double stainless steel linen skip is ideal for healthcare environments and is available with or without a foot operated acrylic lid.



AC 758051 Double Linen Skip

AC 758251 Double Linen Skip with Lid

Code	Lid	Length mm	Width mm	Height mm	Castors mm
AC 758051	No	540	780	850	4 x 75
AC 758251	Yes	540	780	850	4 x 75

Trolley - Linen Skip - Stainless Steel - Triple

This triple stainless steel linen skip is ideal for healthcare environments and is supplied with foot operated white acrylic lids. Optional Coloured ID strips are available.



Code	Lid	Length mm	Width mm	Height mm	Castors mm
AC 758301	White	1170	540	850	4 x 75
AC 758320 Optional Coloured Tags Sold Separately					
Add to code: BL ■ GR ■ PU■ RE ■ YE ■ eg. Blue tag = AC 758320BL					

Trolley - Linen - Soiled Linen Bag

Soiled linen bags made from durable material for our linen skips. Ideal for colour coding soiled linen.



Code	Colour	Code	Colour
AC 752306	White	AC 752316	Red
AC 752326	Blue	AC 752336	Yellow
AC 752346	Green		

Skate - Load Skates

Maintenance Free. Rubber surface for protection and stability of goods Low profile design. Rugged and Stable.



Code	Load Capacity Tonne	Skate Size mm	Wheel	Load Wheels
TS FY02	2Tonne	270 x 120 x 110mm	75mm	2
TS FW06	6Tonne	395 x 330 x 101mm	75mm	6

Skate - Load Skates 3 Tonne

Steerable skate with handle. Platform swivels on a thrust bearing. Large surface area wheels for extra stability.



Code Load Capacity Skate Size mm Wheel Size mm Load Wheels TS SFW03 3Tonne 305 x 231 x 108mm 86 x 90mm 4

Accessories - ABD150 Corner Movers

Pressed Steel Construction. Low Level Corner Skates to assist with moving awkward rectangular loads. Ball Bearing Castors.

Corner Mover

- ✓ Pressed Steel Construction.
- √ 8kg Net Weight.
- ✓ Ball Bearing Castors.
- Low Height for Stability.







Code	Frame	Load Height mm	Overall Size mm	Castors mm
TS ABD150	Steel	15mm	366 x 204 x 85mm	50 x 20mm

Skate - Roller Load Skates


Maintenance Free. Roller wheels for added traction. Rubber top for stability. Rotating or fixed top. Heavy duty polyurethane wheels. Optional Handle Available.



Code	Load Capacity	Skate Size mm	Тор	Rollers
TS AQ-R20	10Tonne	247 x 146 x 133mm	Swivel Locking Padded	14
TS AQ-R30	15Tonne	324 x 165 x 130mm	Swivel Locking Padded	16

Skate - Load Skates 4 Tonne

Optional Handle Available. Rubber top for stability. Heavy duty polyurethane wheels.



Code	Load Capacity Tonne	Skate Size mm	Wheel Size mm	Load Wheels
TS CTA4	4 Tonne	300 x 222 x 110	75	4
TS CTA6	6 Tonne	400 x 222 x 110	75	6